

Orca™ Series Modbus

User Guide 210912

Version 1.3

This document applies to the following Orca Series motor firmware:

- 6.1.8 / 6.2.8

For more recent firmware versions, please download the latest version of this user guide at <https://irisdynamics.com/downloads>

CONTENTS

Revision History.....	3
Introduction.....	4
Physical Interface.....	4
Modbus RTU Protocol.....	5
Orca-specific Function Codes.....	6
65 / 0x41 Manage High-speed Stream.....	6
100 / 0x64 Motor Command Stream.....	7
Stream Command Sub-Function Codes.....	8
Troubleshooting.....	10
104 / 0x068 Motor Read Stream.....	10
105 / 0x069 Motor Write Stream.....	12
Adjusting Defaults.....	13
Modbus Timeouts.....	14
CRC Calculation.....	15
Example Frames.....	16
Read Single Register Frame.....	16
Write Single Register Frame.....	16
Manage High-speed Stream Frame.....	16
Sleep Stream Command Frame.....	16
Force Control Stream Command Frame.....	17
Read Multiple Register Frame.....	17
Write Multiple Register Frame.....	17
Enabling and Disabling Kinematic Mode.....	17
Triggering a Kinematic Motion.....	18
Setting the Target Positions.....	18
Setting the Motion Duration.....	19
Setting the Delay Between Motions.....	19
Enabling Autostart Next, Identifying Next Motion and Setting the Motion Type.....	19
Configuring an Entire Motion in a Single Frame.....	20
Saving Kinematic Configurations.....	20

Revision History

Version	Date	Author	Reason
1.0	September, 2021	kh ke rm	Initial Release
1.1	March, 2023	Kh kc rm	Memory map, frame examples, formatting
1.2	August, 2023	rm	Kinematic mode, frame examples, sub function codes, additional stream commands. CRC calc
1.3	January, 2024	rm	Moved kinematic configuration examples into this document. Adjusting Modbus configuration. Formatting.

Introduction

Orca Series Motors feature a ‘field-bus’ serial communication option which allows configuration, control, and monitoring. Features of the motors are offered by exposing ‘registers’ which can be written to and read from by sending and receiving characters.

The motor only responds to communications: it will never send characters except when responding to a well-received message.

In this documentation, ‘Tx’ (i.e., transmitter / transmitting) refers to data sent from the motor to the controller. A controller in this case is a PLC or some computer which is responsible for controlling the motor. ‘Rx’ (i.e., receiver / receiving) refers to data sent from the controller to the motor.

Serial communications are implemented using a subset of the Modbus RTU specification, with additional functionality to support a high-speed stream of commands and feedback.

By adjusting communication parameters messages rates as fast as 2 KHz are possible.

Physical Interface

The signaling used for transmitting characters conforms to and exceeds the RS422 specification.

Orca Series motors include a shielded communication cable of twisted pairs carrying the differential signals used to transmit and receive characters. The connection is full duplex and so there is a separate pair for Tx and Rx. For half-duplex communication see the “Orca Series Modbus over Half-Duplex RS485” user guide.

Each motor data cable will have the following signals:

Table 1: Orca Series Motor RJ45 Pinout

Pin	Signal	Notes
1	RX ₂₊	Modbus
2	RX ₂₋	
3	TX ₂₊	
4	RX/TX ₁₊	IrisControls4™
5	RX/TX ₁₋	
6	TX ₂₋	Modbus
7	+5V	Can be used to power logic, or indicate logic power status.
8	GND	Must be connected to the communication hub ground.

Modbus RTU Protocol

The motor implements a Modbus RTU server with the following initial requirements:

Baud Rate: 19200

Start Bits: 1

Stop Bits: 1

Parity: even

Interframe delay: 2 ms

For information on the specifics of Modbus message framing, see [MODBUS_ Application Protocol 1.1b](#).

The motors also allow for configuration of the [default baud rate and inter frame delay](#), through the IrisControls GUI, or through Orca registers.

Orca Series Motors implement the following MODBUS RTU function codes.

Table 2: Function Codes Supported by Orca Series Motors

Function Code Type	Name	Code (Decimal / Hex)
Standard Function Codes	Read Holding Registers	3 / 0x03
	Write Single Register	6 / 0x06
	Write Multiple Registers	16 / 0x10
	Diagnostic: Return Query Data	8 / 0x08 Sub code: 0 / 0x0000
Orca-Specific Function Codes	Manage High-speed Stream	65 / 0x41
	Motor Command Stream	100 / 0x64
	Motor Read Stream	104 / 0x68
	Motor Write Stream	105 / 0x69

Most registers are 16-bit. Some registers are 32-bit, these are always encoded with the most significant bits in the higher register address (*i.e.*, little-endian).

Modbus commands are used to access the registers within the motor. Any configurations that can be made through the Orca Series motor's GUI can also be made through standard Modbus write commands. A full list of all Orca Series motor registers is available in "Orca API User Guide".

Orca Series motors use 0 indexing, meaning the first register address is 0. Some Modbus libraries however use 1 indexing, meaning the first register's address is 1. If this is the case the address in the Orca's Memory map will need to be adjusted accordingly. For example if your Modbus client uses 1 indexing and you would like to change the motor's mode, write to register 4 rather than 3 for CTRL_REG_3.

Orca-specific Function Codes

Modbus is a connection-less specification and as such, messages can be sent to the motor at irregular intervals. However, motor functions that result in forces being produced (*i.e.* Force control and Position control) require that a consistent stream of well-formed messages are received regularly, or else the motor enters a Sleep Mode. The value in the Timeout Control Register determines how long a Force or Position command remains valid.

To accommodate streaming low-latency messages at higher data rates, Orca-specific function codes allow establishing a connection during which the baud rate can be increased, and interframe delays can be decreased beyond Modbus specifications.

Use of these is optional but will result in higher data throughput and lower data latency on the serial connection.

Alternatively if using a Modbus client that does not allow for custom function codes. [Default baud rate and interframe delay](#) can be configured on the Orca to increase message rate.

65 / 0x41 Manage High-speed Stream

This function code is used to enable or disable a high-speed stream, and when enabling it, to specify the parameters of subsequent messages.

Table 3: Manage High-speed Stream Request PDU


Device Address	1 byte	0x01	
Function Code	1 byte	0x41	
Sub-Function Code	2 bytes	enable and apply parameters 0xFF00	disable and return to default 0x0000
Baud rate	4 bytes	Target baud rate (bps)	Ignored
Delay (us)	2 bytes	Target Response delay (ms)	Ignored
CRC	2 bytes	CRC-16 (MODBUS) Polynomial 0xA001	

Table 4: Manage High-speed Stream Response PDU

Device Address	1 byte	0x01	
Function Code	1 byte	0x41	
State Command	1 byte	Echo of request	
Baud rate	4 bytes	Realized baud rate	
Delay (us)	2 bytes	Realized message delay in microseconds	
CRC	2 bytes	CRC-16 (MODBUS) Polynomial 0xA001	

The baud rate and response delay will return to their default setting when either:

1. Time elapses greater than the value in the Timeout Control Register after the last successful message
2. A new message is sent to disable the high-speed stream



100 / 0x64 Motor Command Stream

This function code is used to stream commands and a specified operating mode to the motor while receiving several of the important motor sensor information and errors in return. It is expected that this function code is streamed at as high a frequency as possible to ensure the client has recent information on the motor, and the motor has a recent command to act on. The data that must be a part of the Stream Command request varies between sub-function codes. However, the response frame remains the same for all sub-function codes.

Table 5: Stream Command Request PDU

Device Address	1 byte	0x01				
Function Code	1 byte	0x64				
Sub Code	1 byte	0x1C Force Control Stream	0x1E Position Control Stream	0x20 Kinematic Data Stream <i>(Available with Orca firmware v6.1.6 or later)</i>	0x22 Haptic Data Stream <i>(Available with Orca firmware v6.1.7 or later)</i>	All else Sleep Data Stream
Data	4 bytes	Force (mN)	Position (µm)	Ignored	HAPTIC_STATUS Register	Ignored
CRC	2 bytes	CRC-16 (Modbus) Polynomial 0xA001				

Table 6: Stream Command Response PDU

Device Address	1 byte	0x01
Function Code	1 byte	0x64
Position Value (µm)	4 bytes	Shaft position in micrometers
Force Value (mN)	4 bytes	Force realized in millinewtons
Power Value (W)	2 bytes	Power consumed in Watts
Temperature Value (C)	1 byte	Temperature value in degrees Celsius

Voltage Value (mV)	2 bytes	Supply Voltage in millivolts
Errors	2 bytes	Error register contents
CRC	2 bytes	CRC-16 (Modbus) Polynomial 0xA001

The motor will continue to act on the last Stream Command until

1. A new *100 / 0x64 Stream Command* message is received
2. One of the following registers are written to:
 - a. the Position Control Register, or,
 - b. the Force Control Register, or
 - c. the Mode Control Register
3. The number of milliseconds equal to the value of the Timeout Control Register elapses from the last *100 / 0x64 Stream Command*.

Stream Command Sub-Function Codes

Orca Series motors can be operated in different modes which are described in detail in the Orca Series Motor Reference Manual.

The following sub-function codes are supported for the Stream Command which are related to the Orca Series motor's Modes of Operation.

1. Sleep Data Stream
2. Force Control Stream
3. Position Control Stream
4. Kinematic Data Stream (*Available with Orca firmware v6.1.6 or later*)
5. Haptic Data Stream (*Available with Orca firmware v6.1.7 or later*)

1 – Sleep Data Stream

Sending a Sleep Data Stream command will move the motor to Sleep Mode while allowing continuous stream of data from the motor to be maintained. In this mode the motor will only produce an electro-mechanical 'braking' force induced by shorting all its windings. No other force generation will be possible, regenerative braking is disabled, and motor power consumption will be minimized.

The motor will remain in "Sleep Mode" until a new mode is specified.

2 – Force Control Stream

Using the Force Control Stream sub-function code will put the motor into Force Mode. The force value in mN specified in the data portion of this command will be the target the motor attempts to reach.

A feedback loop adjusts power to the stator which continually accounts for temperature and voltage changes and shaft movement to achieve the target force.

If the time between Force Control Stream messages is greater than the value in the Timeout Control Register, the motor will enter Sleep Mode.

3 – Position Control Stream

Using the Position Control Stream sub-function code will put the motor into Position Mode. The position value in μm specified in the data portion of this command will be the target the motor will seek to achieve.

A tunable PID feedback loop adjusts forces used to attempt to position the shaft to match the target position.

The position control PID parameters can be configured by writing to (and optionally saving) configuration registers.

If the time between Position Control Stream messages is greater than the value in the Timeout Control Register, the motor will enter Sleep Mode.

4 – Kinematic Data Stream

The Kinematic Data Stream sub-function code is meant to enter the motor into Kinematic Mode while allowing continuous stream of data from the motor to be maintained. In Kinematic Mode the motor will use its position control to move between configured position targets.

These motions can be configured through the Orca Series motor's GUI in IrisControls4 or by writing to kinematic configuration registers (see the Orca Series Modbus Kinematics Triggering and Configuring User Guide). Triggering motions and configuring motions can be done by injecting additional Write Register Commands between Stream Commands.

The motor will remain in Kinematic Mode until a new mode is specified as the Timeout Control Registers do not apply to this mode.

5 – Haptic Data Stream

The Haptic Data Stream sub-function code is used to put the motor into Haptic Mode while allowing continuous stream of data from the motor to be maintained. In Haptic Mode the motor will use a set of configured Haptic effects to produce forces. This sub-function code includes a 2 byte data field which is used to enable and disable individual Haptic effects.


The Haptic effect parameters can be configured through the Orca Series motor's GUI in IrisControls4, or by writing to the Haptic configuration registers through additional Write Register Commands injected between Stream Commands.

Troubleshooting

Factors preventing the motor from achieving the target force or position include:

1. Commands exceeding the Max Force Control Register.
2. Power draw exceeding the Max Power Control Register.
3. Insufficient supply voltage.
4. Errors such as over-temperature or no shaft.
5. In Position Mode or Kinematic Mode appropriate PID tuning values must be set.
6. Force or Position Stream commands not sent fast enough resulting in a stream timeout.

The Orca Series motor's GUI has an Interfaces page available that gives data on the Modbus communication that can be useful for troubleshooting communication issues.



The screenshot displays the 'Interfaces' page of the Orca Series motor's GUI. It features a dark background with white text. At the top, a 'Last Received Message' section shows the hexadecimal string '01 03 01 52 00 01 24 27'. Below this, there are three main data sections: 'Diagnostic Counters', 'Active Connection Info', and 'Modbus Options'. The 'Diagnostic Counters' section lists various error types and their counts. The 'Active Connection Info' section shows connection parameters and a status indicator. The 'Modbus Options' section lists configuration settings for the Modbus protocol. A 'Save Modbus Options' button is located at the bottom right.

Diagnostic Counters		Active Connection Info			Modbus Options		
Bus Message	3515	Baudrate	19200	bps	Def. Baudrate	19200	bps
Bus Communication Error	6	Interframe Delay	2000	us	Def. Interframe	2000	us
Sever Exception Error	0	Message Rate	0	Hz	Timeout Period	500	ms
Server Message	3515	<input type="radio"/> Connected <input checked="" type="radio"/> Disconnected		Server Address	1		
Server No Response	0			Force Filter Strength (0-10000)	0		
Server NAK	0			Position Filter Strength (0-10000)	0		
Server Busy	0						

Save Modbus Options

104 / 0x068 Motor Read Stream

This function code is used to stream a read from a register that is either single or double wide while receiving several of the important motor sensor information and errors in return as well as the current operating mode. Unlike the Motor Command Stream function code, this one will not explicitly set the mode. Setting the mode can be done by writing to Control Register 3, sending the motor read stream message will allow the motor to stay in the mode that was set. It is expected that this function code is streamed at a high frequency to ensure the client has recent information on the motor.

Table 7: Motor Read Stream Request PDU

Device Address	1 byte	0x01
Function Code	1 byte	0x68
Register Address	2 bytes	The address of the register in the motor's memory map to read from
Register Width	1 byte	Specifies 1 if single wide register (16 bits of data) or use 2 if register is double wide (32 bits of data)
CRC	2 bytes	CRC-16 (Modbus) Polynomial 0xA001

Table 8: Motor Read Stream Response PDU

Device Address	1 byte	0x01
Function Code	1 byte	0x68
Read Register Value	4 bytes	Value read from specified registers. If width was specified as 1 first 2 bytes will be zeros. If width of 2 then all bytes are used.
Mode of Operation	1 byte	Current operating mode of the Orca motor
Position Value (μm)	4 bytes	Shaft position in micrometers
Force Value (mN)	4 bytes	Force realized in millinewtons
Power Value (W)	2 bytes	Power consumed in Watts
Temperature Value (C)	1 byte	Temperature value in degrees Celsius
Voltage Value (mV)	2 bytes	Supply Voltage in millivolts
Errors	2 bytes	Error register contents
CRC	2 bytes	CRC-16 (Modbus) Polynomial 0xA001

105 / 0x069 Motor Write Stream

This function code is used to stream a write to a register that is either single or double wide while receiving several of the important motor sensor information and errors in return as well as the current operating mode. Unlike the Motor Command Stream function code, this one will not explicitly set the mode. Setting the mode can be done by writing to Control Register 3, sending the motor write stream message will allow the motor to stay in the mode that was set. It is expected that this function code is streamed at a high frequency to ensure the client has recent information on the motor. If a register is only needed to be written to once, the standard Modbus write single register or write multiple registers can be used.

Table 9: Motor Write Stream Request PDU

Device Address	1 byte	0x01
Function Code	1 byte	0x69
Register Address	2 bytes	The address of the register in the motor's memory map to write to
Register Width	1 byte	Specifies 1 if single wide register (16 bits of data) or use 2 if register is double wide (32 bits of data)
Register Data	4 bytes	If width is specified as 1 the first 2 bytes will be ignored.
CRC	2 bytes	CRC-16 (Modbus) Polynomial 0xA001

Table 10: Motor Write Stream Response PDU

Device Address	1 byte	0x01
Function Code	1 byte	0x69
Mode of Operation	1 byte	Current operating mode of the Orca motor
Position Value (μm)	4 bytes	Shaft position in micrometers
Force Value (mN)	4 bytes	Force realized in millinewtons
Power Value (W)	2 bytes	Power consumed in Watts
Temperature Value (C)	1 byte	Temperature value in degrees Celsius
Voltage Value (mV)	2 bytes	Supply Voltage in millivolts
Errors	2 bytes	Error register contents
CRC	2 bytes	CRC-16 (Modbus) Polynomial 0xA001


Adjusting Defaults

Default Modbus behaviour can be configured to match any Modbus client setup or to increase messages framerate without requiring a negotiation using the Manage High-speed Stream message.

Default baudrate up to 1250000 bps can be configured. Interframe delay can be decreased as low as 0. Timeout period which dictates when a message timeout error is triggered. The Orca's Modbus server address.

Force and position input filters are available to smooth out force or position target commands if Modbus communication rate is slow. A value of 0 will result in no filtering whereas a value of 9999 will provide maximum filtering. Note that due to the nature of the filter values between 9000 and 9999 are most likely to be useful.

These configurations will take effect immediately when adjusted.



Modbus Timeouts

Under certain modes of operation, Modbus messages sent to an Orca motor will reset a communication timer. If this timer is allowed to expire, i.e. no new Modbus messages arrive within the timeout period, a communications timeout error (2048) will be raised in the ERROR_0 and ERROR_1 registers.. This error prevents the motor from producing any forces (see RM220115 - Orca Series Reference Manual for more information on Orca errors). Note that the motor will remain in whatever mode it was last in, and the error can be cleared by returning to Sleep mode (1).

By default, the communication timeout period is set to 500 ms. The modes in which the communications timeout is active are:

- Force Mode (2)
- Position Mode (3)
- Haptic Mode (4)

The communications timeout period can be shortened by writing a ms value to the USER_COMMS_TIMEOUT register. To save this value permanently, the user options section of flash memory must be saved through CTRL_REG_2 (see RM220115 - Orca Series Reference Manual for more information).

CRC Calculation

The CRC bytes are used as the last two bytes in the message. They are used to ensure all bytes of the message have been communicated fully and accurately. All bytes of the message not including the two CRC bytes are used in calculating the CRC bytes.

Below is an example code snippet in C to generate the crc bytes.

```
C/C++
// Compute the MODBUS RTU CRC
uint16_t ModRTU_CRC(byte[] buf, int len)
{
    uint16_t crc = 0xFFFF;

    for (int pos = 0; pos < len; pos++) {
        crc ^= (uint16_t)buf[pos];           // XOR byte into least sig.
byte of crc

        for (int i = 8; i != 0; i--) { // Loop over each bit
            if ((crc & 0x0001) != 0) { // If the LSB is set
                crc >>= 1;           // Shift right and XOR 0xA001
                crc ^= 0xA001;
            }
            else // Else LSB is not set
                crc >>= 1;           // Just shift right
        }
    }
    // Note, this number has low and high bytes swapped, so use it
    accordingly (or swap bytes)
    return crc;
}
```

Example Frames

Read Single Register Frame

Read one register 338 VDD Final. (8-byte message)

01 03 01 52 00 01 24 27

Two bytes give the content of the voltage register indicating 24267 mV being supplied.

(7-byte message)

01 03 02 5E CB C1 B3

Write Single Register Frame

Write register 139 (User Max Temperature) to 60. (9-byte message)

01 06 00 8B 00 3C F9 F1

Response, echo indicates it is correctly written to. (9-byte message)

01 06 00 8B 00 3C F9 F1

Manage High-speed Stream Frame

Set high-speed stream baud rate to 625 kHz and 50 us interframe delay (12-byte message)

01 41 FF 00 00 09 89 68 00 32 A4 C1

Response, realized stream baud rate 625 kHz and 50 us interframe delay (12-byte message)

01 41 FF 00 00 09 89 68 00 32 A4 C1

Sleep Stream Command Frame

Sleep Data Stream request (9-byte message)

01 64 00 00 00 00 00 03 E4

Sleep Data Stream response (19-byte message)

01 64 00 03 89 65 00 00 06 BE 00 00 19 0F 01 00 00 88 C2

Force Control Stream Command Frame

Force Control Stream request set force to 1000. (9-byte message)

01 64 1C 00 00 03 E8 D2 98

Force Control Stream Response, shaft position - 12000 μm , force - 800 , power - 20 W, temperature - 24 C, voltage - 24150 mV, errors - none (19-byte message)

01 64 00 01 3A 09 FF FB 52 00 00 18 5E B0 09 00 8F 44

Read Multiple Register Frame

Read two registers starting at address 406. (8-byte message)

01 03 01 96 00 02 25 D8

Response with content of two registers, 4 data bytes, Serial low is 53083, Serial high is 3373. This gives an overall serial number of 221106011. (9-byte message)

01 03 04 CF 5B 0D 2D 70 79

Write Multiple Register Frame

Write three registers starting at address 780. Setting kinematic motion 1 10000 μm and time of 1000ms. (15-byte message)

01 10 03 0C 00 03 06 27 10 00 00 03 E8 EE 51

Response with starting address and number of registers written to. (8-byte message)

01 10 03 0C 00 03 40 4F

Enabling and Disabling Kinematic Mode

Entering and leaving kinematic mode is done by writing to control register 3. Kinematic mode is mode 5. Sleep mode is mode 1, it will disable kinematic motions and put the motor into a damping state.

Enter Kinematic Mode:

01 06 00 03 00 05 B9 C9

Enter Sleep Mode:

01 06 00 03 00 00 79 CA

Triggering a Kinematic Motion

Trigger motions using the software trigger register.

To test the configuration, use a write single register Modbus message to write the desired motion ID to the KIN_SW_TRIGGER register. This will also play any chained motions. If all motions are chained, entering kinematic mode will automatically trigger the movement sequence.

Trigger Motion 0:

01 06 00 09 00 00 59 C8

Trigger Motion 1:

01 06 00 09 00 01 98 08

Trigger Motion 8:

01 06 00 09 00 08 58 0E

Setting the Target Positions

The position is commanded in micrometers (μm) and uses 32 bits. It is split into two 16-bit registers using little endian, so the low byte is written first.

120000 = 0x0001 0xD4C0

KIN_MOTION_0 + 0 = 0xD4C0

KIN_MOTION_0 + 1 = 0x0001

Write multiple registers function code must be used to write to both registers at once. Motions 0 is configured using registers 780 – 785. Motion 1 configuration from registers 786 – 791.

Write position 120000 μm to Motion 0:

01 10 03 0C 00 02 04 D4 C0 00 01 1F 06

Write position 120000 μm to Motion 1:

01 10 03 12 00 02 04 D4 C0 00 01 9F 86

Write position 50000 μm to Motion 1:

01 10 03 12 00 02 04 C3 50 00 00 5B DF

Setting the Motion Duration

The time it takes to reach the specified position is specified in milliseconds (ms) and uses 32 bits. It is split into two 16-bit registers with the low byte written first.

Write time 1000 ms to Motion 0:

01 10 03 0E 00 02 04 03 E8 00 00 E6 A3

Write time 10000 ms to Motion 3:

01 10 03 1A 00 02 04 27 10 00 00 6D 5D

If setting a time less than 65535 ms this can also be accomplished with a write single register frame.

Write time 1000 ms to Motion 0:

01 06 03 14 03 E8 C9 34

Setting the Delay Between Motions

The next byte is the delay between chained motions which is also in milliseconds (ms) but is a single 16 bit register. If motions are not chained the delay is ignored.

Write delay 100 ms after Motion 0:

01 06 03 10 00 64 89 A0

Write delay 500 ms after Motion 1:

01 06 03 16 01 F4 68 5D

Enabling Autostart Next, Identifying Next Motion and Setting the Motion Type

The next motion, the type and enabling of autostart to next are all written to the same 16-bit register; bit 0 - Auto start enable, bits 2:1 - type, bits 7:3 Next ID. If a continuous motion loop is desired, all motions should be set to autostart next and the Next ID of the last motion should be set to the first.

Enable autostart, type 0, Next ID 1 for Motion 0:

01 06 03 11 00 09 19 8D

Configuring an Entire Motion in a Single Frame

It is also possible to set all configurations in a single message.

Motion 0 to move to 120000 μm over 300 ms, delay for 50 ms and autostart to motion 1:

Configure motion:

01 10 03 0C 00 06 0C D4 C0 00 01 01 2C 00 00 00 32 00 09 70 07

Repeat this process for each desired motion For this example, another motion command will be given.

Motion 1 to move to 10000 μm over 500 ms, delay for 0 ms and don't autostart motion 2:

Configure motion:

01 10 03 12 00 06 0C 27 10 00 00 01 F4 00 00 00 00 10 23 F1

Saving Kinematic Configurations

If the configuration is complete, save the kinematic controller settings to permanent memory by writing the *motion_config_save_flag* (0x80) to CTRL_REG_2.

Use the write single register Modbus command to write the save flag.

Save kinematic configuration:

01 06 00 02 00 80 29 AA

After configuration, all motions will now be retained through power cycling. They can be triggered through the KIN_SW_TRIGGER at any time when kinematic mode is enabled, provided the motor has been placed into kinematic mode.